

FEIYUE YAMATA

High exactitude
Delicate appearance
Delicate embroidery
Stable embroidering processes

High speed
high delicacy
high reliability
Advanced mechanical structure

Less noise and shake
Pretty exact
Automatism and manpower
Beautiful embroidery
Automatic repeating function

Advanced design thought, the most economical and reasonable price
The exact stopping position
Adjustable motor


Perfect integration of mechanism
More delicacy
Reliable embroidery
Powerful main shaft
More powerful , stable, and smooth
More stable, quite, reliable
Perfect embroidery effectively

飞跃高速绣花机系列

Computer Embroidery Sewing Machine Series

Embroidery

FEIYUE YAMATA



FY0606M

毛巾绣电脑绣花机
CHENILLE EMBROIDERY MACHINE

- 10.4寸大屏幕真彩液晶显示，操作界面为字符与图标相配合，简单易懂，操作快捷，并且在绣作的过程中可实时显示绣作花样，形象直观
- 可根据客户需要在中英文间切换，消除语言限制、操作方便
- 系统可存储200个花样，存储总针数高达200万针
- 增加U盘接口，与普通软盘相比，U盘容量大，读写速度快，携带方便，寿命长

- 10.4 inch color LCD screen, operation panel with character and icon, easy to understand and operate, show the dynamic embroidery process.
- Switch from English to Chinese or Chinese to English according to customer's demand, thus avoiding language limitation and ensuring convenient operation
- The system can store up to 200 kinds of patterns and the max. capacity stitches is 2,000,000 stitches.
- Add USB connection, USB pen driver has many advantages over normal floppy disk, such as bigger capacity, quick speed to read and write and longer life.

- 能读取田岛、百灵达、ZSK格式的磁盘花样
- 具有花样旋转、缩放、复制、删除、输出功能及花样编辑功能
- 具有自动换色、自动启动、自动剪线、断线检测、自动补绣功能

- Read Tajima、BARUDAN and ZSK format disk design.
- Have functions of pattern revolve、zoom、delete、replication、output and pattern edit.
- Have functions of automatic color-change, automatic start-up, automatic thread-trimmer, automatic check in case of thread broken and automatic return the repair embroidery.







FY1201TCJ

台式多功能电脑绣花机系列
MULTI-FUNCTION COMPUTERIZED
COMPACT SINGLE HEAD
EMBROIDERY MACHINE

FY1501TC

台式多功能电脑绣花机系列
MULTI-FUNCTION COMPUTERIZED
COMPACT SINGLE HEAD
EMBROIDERY MACHINE

一机多用，可以方便地实现平绣、帽绣、成衣绣、金片绣、雕孔绣之间的转换！

Multifunction realize the conversion between flat embroidery,cap embroidery, Tubular embroidery，sequin embroidery and bore-carve embroidery in one machine.


- 除用于普通刺绣外，还可以直接在成衣绣和帽上刺绣
- 可根据客户需要在中英文间切换，消除语言限制、操作方便
- 配置3.5英寸磁盘驱动、带USB接口可直接读取田岛、百灵达格式的磁盘花样
- 系统内存达1000000针，可存储99个花样

- Apply to tubular embroidery and cap embroidery as well as common flat embroidery.
- Switch between the language version of Chinese and English.
- It provides 3.5 inch disk drive, USB port, which can read the pattern format of Tajima and Barudan directly.
- The memory of system is 1 million needles, can save 99 patterns.

- 具有花样旋转、缩放、复制、删除、输出功能及花样编辑功能
- 具有自动换色、自动启动、自动剪线、断线检测功能
- 具有软件限位功能、方便成衣绣、帽绣等特种绣功能，客户可根据实际需要选择

- With the functions of pattern rotation , zoom, copy, delete, output and edit.
- With the functions of auto-thread change, auto-setup, auto-thread trimming, thread-break detector.
- With the function of setting the embroidery orientation by software, which simplifies tubular embroidery and cap embroidery

FEIYUE YAMATA



FY0906C

多头帽绣绣花机

CAP EMBEROIDERY MACHINE

绣品精致优美：绣花机绷架驱动，采用新型特殊的步进电机，绷架位移分步允许细密，借以绣成精致优美的绣品

The beautiful embroidery: the tight structure-embroidering machine adopts the new special electrode, and the delicate displacement of the structure, which makes the beautiful embroidery be achieved.

存储功能：计算机能存储99种花样、针数为100万针，用户需要可额外增加扩充配置，满足不同需要

Storage function: 99 kinds of patterns and 1,000,000 stitches have been stored in the computer. Consumer can also configure additionally to fulfill their respective requirement.

自动反复绣：在一种花样绣完以后，按照所给予的指令自动地再在下一位置反复绣上这一花样 最多可以反复刺绣81次

Automatic repeating function: This type of machine can embroider the patterns that have been done again and again under the instruction that given. It can repeat 81 times at most.





FY0901CJ

成衣/帽绣绣花机(加金片装置)

TUBULAR/CAP EMDROIDERY MACHINE(WITH SEQUIN DEVICE)

- 绣品精致优美：绣花机绷架驱动，采用新型特殊的步进电机，绷架位移分步允许细密，借以绣成精致优美的绣品
- 存储功能：计算机能存储99种花样、针数为100万针，用户需要可额外增加扩充配置，满足不同需要
- The beautiful embroidery: the tight structure-embroidering machine adopts the new special electrode, and the delicate displacement of the structure, which makes the beautiful embroidery be achieved.
- Storage function: 99 kinds of patterns and 1,000,000 stitches have been stored in the computer. Consumer can also configure additionally to fulfill their respective requirement.


FY0902C

成衣/帽绣多头绣花机

MULTI-HEAD TUBULAR /CAP EMBROIDERY MACHINE


- 自动反复绣：在一种花样绣完以后，按照所给予的指令自动地再在下一位置反复绣上这一花样 最多可以反复刺绣81次
- Automatic repeating function: This type of machine can embroider the patterns that have been done again and again under the instruction that given. It can repeat 81 times at most.







FEIYUE YAMATA



FY0901CMJ

多功能绣花机

MULTI-FUNCTION COMPUTER CONTROLLED
EMBROIDERY MACHINE





一机多功能，在普通平绣、成衣绣和帽绣的基础上增加了金片绣和毛巾绣功能，平绣和特种绣机头之间可自动切换，或手动切换。操作方便、简单、经济又实惠。

This machine has function of normal flat embroidery and tubular embroidery and cap embroidery, what's more it has function of sequin and chenille, and you can shift between flat embroidery and special embroidery automatically or manually, very easy to operate.




FY0901CPJ

多功能绣花机

MULTI-FUNCTION COMPUTER CONTROLLED
EMBROIDERY MACHINE








一机多功能，在普通帽绣的基础上增加了特种绣功能，此机型具备了平绣、成衣绣、帽绣、金片绣、缠绕绣、盘带绣、锯齿绣。平绣和特种绣机头之间可自动切换，或手动切换。

This machine has function of normal flat embroidery and tubular embroidery and cap embroidery, what's more it has function of sequin, coiling, circular coiling and saw tooth, and you can shift between flat embroidery and special embroidery automatically or manually.

FEIYUE YAMATA







领先科技演绎
精美绣品

Advanced Technologies Perform Wonderful Embroidery.

FY0608PJ

混合绣（盘带绣+金片绣）电脑绣花机

COMBINED EMBROIDERY (COILING+**SEQUIN**) MACHINE

具备平绣机所有功能

Owning all the functions of flat embroidery machine

适用于立体感强、色彩绚丽的时装饰及工艺品

You can perfectly apply all functions to the stereoscopic, colorful and fashinable dress or handicrafts.

速度自动控制，工作更高效

Adjust speed automatically, Higher efficiency

- 刺绣过程中，根据针迹的特点， 自动控制刺绣速度，平绣最高可达850转／分钟；特绣最高可达600转／分钟
- Computer Controlled Embroidery Machine can adjust the speed automatically according to the length of stitches. The adjustable range of Flat Embroidery Machine is 350~850 rpm, and the adjustable range of Special Embroidery Machine is 350~600 r.p.m.

刺绣针法自动转换，省时且省力

Change stitch patterns automatically, Improving the efficiency.

- 各种刺绣针法之间可以实现自动(需要花版设计支持)或手动的转换(量多可以设定99次)，大大减少更换素材的时间，提高生产效率
- All kinds of stitch patterns can be changed from one to another automatically (pattern design is needed) or manually (at most 99 times can be set), which saves the time of pattern change and improves the productive efficiency.

功能完备，做绣经典

*Perfect functions make classical **embroidery** works*


- 绣框偏移功能：可手动或自动(需花板设计支持)偏移绣框位置，便于贴布绣、更换花规等作业
- 压脚自动提升功能；刺绣作业结束时，可自动或手动使压脚提升至待机位置，便于更换面科等工作的进行(盘带绣机器功能)
- Hoop motion function: hoops can be moved from the original position manually or automatically (supported by pattern design), making the operation of embroidery more convenient.
- Presser foot automatic lift function: presser foot can be lifted to the original position automatically or manually after finishing each sewing task, so that makes material change more convenient. (The funation of coiling embroidery machine) .

- 压脚提升高度可调节性：在操作盘上，能根据实际需要随意设定盘带绣压脚的高度(盘带绣机器功能)
- 自动回原点功能：停车时，料盘自动回原点，能方便进行穿线及更换刺绣素材
- 混合刺绣功能：在同一花形中，具有平绣、盘带等多种混合刺绣功能，各种绣作方法转速可分别设定
- Adjustable height of presser foot: the height of presser foot can be adjusted according to the practice request on the operating plate. (The function of coiling embroidery machine).
- Return to th e original position automatically: when stop sewing, the operation p late will return to the original position automatically, which is more convenient to change the thread and material.
- Combinated embroidery Function: in the same working area, you can apply all kinds of functions such as flat em broidery sewing, coiling embroidery, etc . And the embroidery speed can be set respectively.

机器信息附表 *Information List*

选购件	Optionalpats parts	根据所需要的不同组合选择相应装置	The different device could be chosen according to different needs
主轴马达	Axis motor	变频或伺服电机/盘带绣需两个伺服电机	Frequency motor or serve motor/The coiling embroidering machine needs two serve motors
电源	Power	三相：380V5OHz 二相: 220V 50Hz	3phase : 380V50Hz 2phase : 220VSOHz
最高速度	MaxSpeed	最高850r.p.m/600 (盘带绣)	Max: 850rpm/600(coiling embroidery)
耗电量	Power consume	2.8KW	
可选针数	Optional needle number	3/6/9/12	

FEIYUE YAMATA



FY0635S

绳绣电脑绣花机

COMPUTER CORDING EMBROIDERY MACHINES

可广泛用于时装、舞台服装、民族服饰等的绣作


Widely Applied in Fashion, Stage Costume and National Dress

- 采用彩色大屏液晶显示、键盘与图文并用的操作方式，操作方便、简易
- 具有花样旋转、缩放、复制、删除、输出功能及花样编辑功能
- 高精密运动零部件，使刺绣速度更快，生产效率更高
- 具有自动换色、自动启动、自动剪线功能
- 可广泛用于时装、舞台时装、民族服装的绣作

- With the color wide LCD, keyboard, vivid ways of handle, the operation becomes easy and convenient.
- The system could figure out and read the pattern in the disc directly.
- With the functions of pattern rotation, zoom, copy, delete,output and edit.
- With the functions of automatic color transfer, turn on and trimming.
- The cording embroidery productions could be widely applied in fashion, stage costume and national dress.

机器信息附表 Information List

选购件	Optional parts	绳绣装置	cording embroidery devices
主轴马达	Axis motor	变频或伺服电机	Frequency motor or serve motor
电源	Power	三相：380V5OHz 二相: 220V 50Hz	3phase : 380V50Hz 2phase : 220VSOHz
最高速度	Max Speed	最高850r.p.m	Max: 850rpm
耗电量	Power consume	1.6KW	
可选针数	Optional needle number	3/6/9/12	



FY0912SJ

混合绣（绳绣+金片绣）电脑绣花机

COMPUTER COMBINED EMBROIDERY MACHINES(CORDING+**SEQUIN**)

计算机能存储99种花样、绣品精致优美、自动反复绣！

High Speed, High Delicacy, & High Reliability!

- 内存容量100万针，最多可存储上百种花样
- 采用彩色大屏液晶显示、键盘与图文并用的操作方式，操作方便、简易
- 系统可直接识别、读取磁盘花样
- 具有花样旋转、缩放、复制、删除、输出功能及花样编辑功能
- 具有自动换色、 自动启动、 自动剪线功能
- 可广泛用于时装、舞台时装、民族服装等的绣作

- With the memory capacity of 1 million stitches and utmost hundreds patterns.
- With the color wide LCD, keyboard ,vivid ways of handle , the operation becomes easy and convenient.
- The system could figure out and read the pattern in the disc directly.
- With the functions of pattern rotation, zoom, copy, delete, output and edit.
- With the functions of automatic color transfer, turn on and trimming .
- The roller cord embroidery productions could be widely applied in fashion, stage costume and national dress.





绳绣系列绣花机

Cording Embroidery Machine Series

机型 Model	头数 Heads	针数 Needles	作绣面积 Area of the work	台板面积 Area of table
FY0902S	2	9	400×680	1824×2500
FY0912S	12	9	400×900	2390×6000
FY0635S	35	6	200(400)×1450	3332×8540

FEIYUE YAMATA



FY0912T

植绒绣花机
TUFTSTITCH EMBROIDERY MACHINE SERIES

FY C0906T 圆筒型植绒机
Cylinder Type Tuft Machine

FY CH0906T 圆筒混合型植绒机
Cylinder Type Tuft Mix Machine

FY H0918T 普通型混合植绒机
Flat Type Tuft Mix Machine


集植绒绣、平绣、金片绣三种功能于一机的三合一特种绣花机

Tuft-Mix Embroidery Machine of Which Integrate Tuft Embroidery And Flat Embroidery as Well as Sequin Embroidery in One Machine

- 该机具有隔头绣功能，共有18个头。其中9个有植绒绣功能，绣花面积为680X275；其中另9个头有平绣和金片绣功能，绣花面积为680X550
- 该机可以装配成18个头全部具有植绒绣功能，绣花面积为680X275
- 该机可以装配成18个头全部具有平绣和金片绣功能，其绣花面积为680X275
- This is an 18-head mixed embroidery machine with the function of double stitching. With 9 heads making tuft embroidery(stitching area is 680x275mm) and other 9 heads making flat and sequin embroidery(stitching area is 680x550mm)
- The above machine can be refitted to be an 18-heads tuft machine with the stitching area of 680x275mm
- The above machine also can be refitted to be an 18-heads flat-sequin mixed machine with the stitching area of 680x275mm

- 该机若配置了本公司提供的专用组件，我们的专业工程师可以根据用户的需要，把机器组装成以下三种不同功能的绣花机：
  - a. 具有植绒绣、平绣加金片绣三合一功能的绣花机
  - b. 单一的植绒绣花机
  - c. 平绣加金片绣二合一绣花机

  这样充分提高了该机的利用率，为用户提供了一机多用、为我所用的超值服务
- Our experienced engineers will be able to convert the above three different types of machine from one to another with the special parts provided by us. Thus it successfully realizes the multi-function of one machine and you would be able to get the most from our machine.




FY0906S

绳绣电脑绣花机

CORDING EMBROIDERY MACHINES

- 自动换色：在刺绣过程中，按照指令，可以任意设定换色顺序，实现自动调换不同颜色的绣线 自动换色最多次可达99次
- 优异的调速系统：根据线迹长度自动调速或手动调速，可以获得300 - 850转/分的变速
- 停机位置十分准 ：绣花机采用性能优良的调速电机，不仅震动极微，而且自动停车或任意停车位置都相当正确、





- Consumer can set different color-changing sequence, by which different colors of the thread can be transpose automatically. Automatic color-changing can be performed 99 times at most.
- The advanced system to adjust the speed: it can adjust the speed automatically or manually according to the length of stitches. The adjustable range is 300~850 rpm.
- The exact stopping position: this kind of excellent embroidery machine adopts the adjustable motor, which is less noise and shake, at the same time, the stopping position is pretty exact, in the case of automatism or manpower.

FEIYUE YAMATA



FY0615J

金片绣电脑绣花机
SEQUINS EMBROIDERY MACHINE

具备平绣机所有功能

Owning all the functions of flat embroidery machine

最高转速能达到每分钟850转

High Speed Up To 850 RPM

具有普通平绣、平绣金片绣混合绣功能

With mixed embroidery functions of plain and sequins machine

- 金片输送装置有自动升降系统，方便更换布料、维修等操作
- 具有自动输送金片、 自动切片功能
- 具有自动换色、 自动启动、自动剪线功能
- 刺绣图案典雅、时尚、个性，是刺绣领域的新一代产品，广泛用于的装(领花、胸花、花边、整衣等)饰品、工艺品的绣作

- Automatic lift system inside sequins transmission device, easy to change material and easy to maintain.
- With automatic sequin feeding and slicing functions.
- With automatic color change, automatic activation, automatic trimmer f unctions
- Elegant, fashion, personality, a new generation product in embroidery area, widely used in fashionable dress (collar & chest decoration, lace, finished garment, etc), curtains, counterpane, ornaments, and embroidered handicrafts



金片输送装置有自动升降系统，方便更换布料、维修等操作

Automa tic lift system inside sequins transmission device, easy to change material and easy to maintain.

FY0906J

金片绣电脑绣花机

SEQUIN EMBROIDERY
HIGH SPEED MACHINE








最高转速达
1000转/分钟！

High speed up to
1000.R.P.M

FEIYUE YAMATA




FY0618J

金片绣电脑绣花机

SEQUIN EMBROIDERY MACHINE





6针18头，双侧面金片绣功能给用户更多的选择


6 needle 18 heads, with double sequin device (type from side)

本机型金片绣装置采用直线导轮配合气缸升降

With Latest Linear motion type

金片绣在最高转速850转/分钟时仍可保持工作稳定

High speed up to 850rpm/min



金片输送装置有自动升降系统，方便更换布料、维修等操作

Automatic lift system inside sequins transmission device, easy to change material and easy to maintain.

具有自动输送金片、 自动切片功能

With automatic sequin feeding and slicing functions.

具备平绣机所有功能

Owning all the functions of flat embroidery machine

最高转速能达到每分钟850转

High Speed Up To 850 RPM

具有普通平绣、平绣金片绣混合绣功能

With mixed embroidery functions of plain and sequins machine

具有自动换色、 自动启动、自动剪线功能

With automatic color change, automatic activation, automatic trimmer f unctions

刺绣图案典雅、时尚、个性，是刺绣领域的新一代产品，广泛用于的装(领花、胸花、花边、整衣等)饰品、工艺品的绣作

Elegant, fashion, personality, a new generation product in embroidery area, widely used in fashionable dress (collar & chest decoration, lace, finished garment, etc), curtains, counterpane, ornaments, and embroidered handicrafts.

FEIYUE *YAMATA*



刺绣图案典雅、时尚、个性，是刺绣领域的新一代产品，广泛用于时装（领花、胸花、花边、整衣等）饰品、工艺品的绣作

FY0452J

多头金片绣电脑绣花机

MULTI-HEAD SEQUIN EMBROIDERY MACHINE





- 4针52头，可实现金片绣功能
- 此机机架结构经专家特别设计，非常稳固，不易变形
- 采用大功率伺服主电机，部分结构采用特殊设计，最高转速为850转/分钟
- 采用最新细分技术，X，Y均为双步进电机，配新型直线导轨驱动，工作稳定，大大提高工作效率
- 本机采用单独步进电机勾线，勾线更加平稳，使用寿命长。

- 4 needle 52 heads, with sequin device
- Apply with high power servo motor, high speed up to 850rpm/min
- With double stepping motors on X and Y axis.
- With Latest Linear motion type, stable in working and high efficiency.
- One hook thread controlled by one motor, very stable function and long life.




Elegant, Fashion, Personality, A New Generation Product in Embroidery Area , Widely Used in Fashionable Dress(Collar & Chest Decoration, Lace, Finished Garment, etc.),Curtains, Counterpane, Ornaments, And Embroidered Gandicrafts.

主要性能特点 (Main feature):

- 用户可根据需要选择中文、英文、西班牙文、土尔其文、法文、韩文，方便操作
- 绣框采用最新的细分控制技术，有效降低了机器的震动和噪音
- 配置3.5英寸磁盘驱动、带USB接口可直接读取田岛、百灵达格式的磁盘花样
- 系统内存达到200万针，可存储200个花样，具有自动换色、自动启动、自动剪线功能
- 具有花样旋转、缩放、输出及对花样修改编译等功能
- 具有回退补绣、反复绣、组合花样功能
- 具有原点返回、停绣点返回、另外还有起绣点功能
- 具有查看花样刺绣范围及刺绣花样周边功能
- 具有断电保护及断电恢复功能
- 金片绣装置采用直线导轧配合气缸升降，工作稳定金片绣最高转速可达850rpm
- 用户可根据实际需要选择3、5、7、9mm金片

- Optional language includes Chinese, English, Spanish, Turkish, French or Korea, easy to operate.
- It applies new type of frame, which decreases the vibrating and noise.
- It provides 3.5 inch disk drive, USB port, which can read the pattern format of Tajima and Berudan directly.
- The memory of the system is up to 2 million needles, can save 200 patterns, with functions of automatically color change, auto-start and auto trimmer etc.
- With functions of pattern rotation, zoom, copy, delete, output and edit.
- With functions of repair and repeat embroidery and pattern combination...
- With functions of back to original, stop and start position.
- With functions of overview the embroidery area and neighboring area.
- With function of self-protection and resume when power off.
- The sequins device movement adopts the coordinated system of linear guide roll along with air cylinder, the sequin embroider speed at Max. 850 r.p.m.
- Optional sequin size: 3, 5, 7, 9 mm



高效率！高回报！适用于窗帘、床单、被罩等的批量刺绣。

FY0444

多头电脑绣花机

EMBROIDERY MACHINES SERIES




4针44头，
绣作面积纵向可达1450MM，
横向为162 - 324MM


4 needle 44 heads, sewing area reach
1455mm in length,
162-324mm in width

此机型机构结构稳固，
采用大功率伺服主电机，
最高转速达850转/分钟

With high power servo motor,
high speed up to 850rpm/min



High efficiency! High returns! Applicable to bactch embroidery such as curtains, bed sheets etc.





台板支撑使用挑梁式，
保证台板平整，不易变形，
承受能力强

With table support bar, very strong

采用最新细分技术，X.Y均为双步
进电机，配新型直线导轨驱动，
工作平稳，绣品优雅大方

With double stepping motors in X and Y axis; with Latest Linear motion type, stable working and high efficiency

FEIYUE YAMATA

毛巾绣系列绣花机技术参数 *Technical Parameters for Chenille Embroidery Machine*

头数	Heads:	2 - 15	电压	Voltage:	380V、220V、110V
频率	Frenquency:	50HZ/60HZ	转速	Speed:	150～600r.p.m
主电机	Main motor:	变频、伺服	Frequency Motor、Servo motor		
电脑	Computer:	大豪5寸10寸彩色/盈瑞安5寸/10寸彩色	DAHAO 5"、10" COLOR/REACHPEACE 5"、10" COLOR		

台式帽绣绣花机技术参数 *Compact Single Head Cap Embroidery Machine Series Technical Parameters*

头数	Heads:	1	针数	Needles:	12/15
针距	Needle Interval:	0.1-12.7mm	电压	Voltage:	220V/110V
频率	Frenquency:	50HZ/60HZ	转速	Speed:	150-1000r.p.m
主电机	Main motor:	变频、伺服	Frequency Motor、Servo motor		
刺绣面积	Area of working(mm):	平绣/成衣绣/帽绣	Flat embroidery/Tubular embroidery/Cap embroidery	330×530/280×280/300×50	
特种绣	Special Embroidery:	金片绣/雕孔绣	Sequin Embroidery/Bore-carve Embroidery		

平绣系列绣花机技术参数 *Main Technical Parameter of Flat Embroidery Machine Series Technical Parameters*

电压	Voltage:	380V/220V/110V	针距	Needle Interval:	0.1-12.7mm
频率	Frenquency:	50HZ/60HZ	转速	Speed:	250-850r.p.m
主电机	Main motor:	变频、伺服	Frequency Motor、Servo motor		
电脑	Computer:	大豪5寸10寸彩色/盈瑞安5寸/10寸彩色	DAHAO 5"、10" COLOR/REACHPEACE 5"、10" COLOR		
特种绣	Special Embroidery:	金片绣/绳绣/雕孔绣	Sequin Embroidery/Cord Embroidery/Bore-carve Embroidery		

金片绣系列绣花机技术参数 *Sequin Embroidery Machine Series Technical Parameters*

金片尺寸	Sequin size:	3/5/7/9	电压	Voltage:	380V/220V/110V
频率	Frenquency:	50HZ/60HZ	转速	Speed:	250-850r.p.m
主电机	Main motor:	变频、伺服	Frequency Motor、Servo motor		
电脑	Computer:	大豪5寸10寸彩色/盈瑞安5寸/10寸彩色	DAHAO 5"、10" COLOR/REACHPEACE 5"、10" COLOR		
针距	Needle Interval:	0.1-12.7mm			

多头帽绣绣花机技术参数 *Multi-Head Cap-Embroidery Machine Series Technical Parameters*

头数	Heads:	1-12	针距	Needle Interval:	0.1-12.7mm
针数	Needles:	3/4/6/9/12	头距	Distance between heads (mm):	400
频率	Frenquency:	50HZ/60HZ	转速	Speed:	250-850r.p.m
电压	Voltage:	220V/110V			
刺绣面积	Area of working(mm):	平绣/成衣绣/帽绣 Flat embroidery/Tubular embroidery/Cap embroidery 400×400/280×280/275×50			
特种绣	Special Embroidery:	金片绣/绳绣/雕孔绣 Sequin Embroidery/Cord Embroidery/Bore-carve Embroidery			

平绣、毛巾绣混合系列绣花机技术参数 *Technical Parameters for Combined Flat and Chenille Embroidery Machine Series*

针数	Needles:	3/4/6/9/12	频率	Frenquency:	50HZ/60HZ
转速	Speed:	毛巾绣Chenille 150-600r.p.m / 平缝Flat embroidery 250-850r.p.m			
电压	Voltage:	380V/220V/110V			
主电机	Main motor:	变频、伺服 Frequency Motor、Servo motor			
电脑	Computer:	大豪5寸10寸彩色/盈瑞安5寸/10寸彩色 DAHAO 5"、10" COLOR/REACHPEACE 5"、10" COLOR			

平绣、盘带绣混合系列绣花机技术参数 *Technical Parameters for Combined Flat and Coiling Embroidery Machine Series*

针数	Needles:	3/4/6/9/12	频率	Frenquency:	50HZ/60HZ
转速	Speed:	盘带绣Coiling 150-600r.p.m / 平缝Flat embroidery 250-850r.p.m			
电压	Voltage:	380V/220V/110V			
主电机	Main motor:	变频、伺服 Frequency Motor、Servo motor			
电脑	Computer:	大豪5寸10寸彩色/盈瑞安5寸/10寸彩色 DAHAO 5"、10" COLOR/REACHPEACE 5"、10" COLOR			



毛巾绣系列绣花机
Technical Parameters for Chenille Embroidery Machine

机型 Model	头数 Heads	针数 Needles	行程 Stitch Area	台板尺寸(长×宽) Table Size（L×W×H）
FY0602M	2	6	400×680	2500×1900×1350
FY0604M	4	6	400×680	2800×1900×1350
FY0606M	6	6	400×680	3600×1900×1350
FY0608M	8	6	400×680	4400×1900×1350
FY0610M	10	6	450×680	5750×2160×1350
FY0612M	12	6	450×680	6750×2160×1350
FY0615M	15	6	450×680	7650×2160×1350

备注（Remark）：

可根据客户要求订做特殊机型。

所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。

Special type can be made to order.

All products accept orders of specified X&Y axis working area.

平绣系列绣花机
Main Technical Parameter of Flat Embroidery Machine Series

机型 Model	头数 Heads	针数 Needles	作绣面积 Area of the work	机器体积(长×宽×高) Machine Size（L×W×H）
FY0901	1	9	680×680	2730×1844×1650
FY0904	4	9	400×680	2730×1844×1650
FY0912	12	9	400×750	5930×1994×1650
FY0915	15	9	400×750	7330×1994×1650
FY0922	22	9	400×750	1030×1994×1650
FY1204	4	12	400×680	2730×1844×1650
FY1206	6	12	400×680	3530×1844×1650
FY1210	10	12	400×680	4330×1844×1650
FY1216	16	12	400×680	7730×1844×1650
FY1220	20	12	400×680	9330×1844×1650
FY0915	18	9	330×680	6110×1844×1650
FY0920	20	9	330×680	7860×1844×1650
FY0615	15	6	250/500×1200	5330×2882×1650
FY0624	24	6	250/500×1200	7680×2882×1650
FY0445	45	4	162/324×1450	8706×3382×1650
FY0352	52	3	162/324×1200	9840×2882×1650

备注（Remark）：

可根据用户需要设计制造特殊规格的机型，客户可根据实际需要选择3/4/6/9/12针机型。

每种机型均可根据用户需要配置自动剪线功能。

所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。

Special type can be made to order, Optional needle number: 3/4/6/9/12; Sequin and boring embroidery can be added to flat embroidery head.

Each model can be equipped with auto trimmer at buyer's option.

All products accept orders of specified X&Y axis working area.

台式帽绣绣花机
Main Specification and Technical Data of Multi-Head Cap-Embroidery Machine

机型 Model	头数 Heads	针数 Needles	作绣面积 Area of the work			转数 Speed
FY1201TCJ	1	12	平绣	Flat embroidery	330×530	150-1000
			成衣绣	Tubular embroidery	280×280	
			帽绣	Cap embroidery	300×50	
FY1501TC	1	15	平绣	Flat embroidery	330×530	150-1000
			成衣绣	Tubular embroidery	280×280	
			帽绣	Cap embroidery	300×50	

备注（Remark）：
所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。
All products accept orders of specified X&Y axis working area.

多头帽绣绣花机
Main Specification and Technical Data of Multi-Head Cap-Embroidery Machine

机型 Model	头数 Heads	针数 Needles	作绣面积 Area of the work			转数 Speed	台板尺寸(长×宽)
FY0906C	6	9	平绣	Flat embroidery	400×400	250-850	
			成衣绣	Tubular embroidery	280×280		
			帽绣	Cap embroidery	275×50		
FY0901C	1	9		360×360			1100×1000
FY0902C	2	9		400×400			1200×1560

平绣、毛巾绣混合系列绣花机
Technical Parameters for Combined Flat and Chenille Embroidery Machine Series

机型 Model	头数 Heads (Flat + Chenille)	平缝针数 Flat Embroidery Head	毛巾绣颜色 Chenille Color	作绣面积 Area of the work	机器体积(长×宽×高) Machine Size（L×W×H）
FY0602-0602M	2 + 2	6	6	500×750	3900×2050×1600
FY0904-0604M	4 + 4	9	6	600×750	5100×2050×1600
FY0906-0606M	6 + 6	9	6	600×1200	6400×2942×1600
FY0608-0608M	8 + 8	6	6	500×1000	6400×2560×1600
FY0610-0610M	10 + 10	6	6	500×800	7400×2160×1700
FY0412-0612M	12 + 12	4	6	400×680	5300×1904×1600
FY0615-0615M	15 + 15	6	6	500×680	10000×1904×1700

备注（Remark）：
可根据客户要求订做特殊机型。平绣客户可选择3/4/6/9/12针，平绣机头可加金片绣、雕孔绣。
所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。
Special type can be made to order, Optional needle number: 3/4/6/9/12; Sequin and boring embroidery can be added to flat embroidery head.
All products accept orders of specified X&Y axis working area.

金片绣系列绣花机
Sequin Embroidery Machine Series

机型 Model	头数 Heads	针数 Needles	作绣面积 Area of the work	机器体积(长×宽×高) Machine Size（L×W×H）	机金片绣所在位置 Location of sequin device
FY0906J	6	9	400×750	3580×2074×1650	左边正面 Left Front
FY0912J	12	9	400×750	6080×2074×1650	右边正面 Right Front
FY0915J	15	9	400×750	7380×2074×1650	左边正面 Left Front
FY0920J	20	9	330×750	7910×2074×1650	右边正面 Right Front
FY1204J	4	12	400×680	2780×1934×1650	左边正面 Left Front
FY1208J	8	12	400×680	4380×1934×1650	右边正面 Right Front
FY1215J	15	12	400×680	7380×1934×1650	左边正面 Left Front
FY0915J	15	9	500×800	9030×2174×1650	左边侧面 Left Side
FY0920J	20	9	330×1200	8010×2972×1650	右边侧面 Right Side
FY0613J	13	6	400/800×1200	7430×2972×1650	双正面 Double Front
FY0618J	18	6	330/660×1200	8110×2972×1650	双侧面 Double Side
FY0624J	24	6	250/500×1450	7730×3472×1650	左边正面 Left Front
FY0452J	52	4	162/324×1200	9890×2972×1650	左边正面 Left Front

备注（Remark）：

可根据用户需要设计制造特殊规格的机型，客户可根据实际需要选择3/4/6/9/12针机型。

每种机型均可根据用户需要配置自动剪线功能。

所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。

Special type can be made to order, Optional needle number: 3/4/6/9/12; Sequin and boring embroidery can be added to flat embroidery head.

Each model can be equipped with auto trimmer at buyer's option.

All products accept orders of specified X&Y axis working area.

平绣、盘带绣混合系列绣花机
Technical Parameters for Combined Flat and Coiling Embroidery Machine Series

机型 Model	头数 Heads（Flat + Coiling）	平缝针数 Flat Embroidery Head	作绣面积 Area of the work	机器体积(长×宽×高) Machine Size（L×W×H）
FY0602P	2 + 2	6	500×750	3900×2050×1600
FY0604P	4 + 4	9	600×750	5100×2050×1600
FY0606P	6 + 6	9	600×1200	6400×2942×1600
FY0608P	8 + 8	6	500×1000	6400×2560×1600
FY0610P	10 + 10	6	500×800	7400×2160×1700
FY0412P	12 + 12	4	400×680	5300×1904×1600
FY0615P	15 + 15	6	500×680	10000×1904×1700

备注（Remark）：

可根据客户要求订做特殊机型。平绣客户可选择3/4/6/9/12针，平绣机头可加金片绣、雕孔绣。

所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。

Special type can be made to order, Optional needle number: 3/4/6/9/12; Sequin and boring embroidery can be added to flat embroidery head.

All products accept orders of specified X&Y axis working area.

普通型植绒机
Flat Type Tuft Machine

机型 Model	头数 Heads	针数 Needles	行程 Stitch Area	台板尺寸(长×宽) Table Size（L×W）	转数 Speed
FY0904T	4	9	680×400	2830×1830	200-800
FY0906T	6	9	680×400	3630×1830	200-800
FY0908T	8	9	680×400	4430×1830	200-800
FY0910T	10	9	680×400	5230×1830	200-800
FY0912T	12	9	680×400	6030×1830	200-800
FY0915T	15	9	680×330	6000×1830	200-750
FY0918T	18	9	680×275	5950×1830	200-750

备注（Remark）：

所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。

All products accept orders of specified X&Y axis working area.


普通型混合植绒机
Flat Type Tuft Mix Machine

机型 Model	头数 Heads	针数 Needles	行程 Stitch Area	台板尺寸(长×宽) Table Size（L×W）	转数 Speed
FY H0908T	8	9	680×400	4430×1830	200-800
FY H0910T	10	9	680×400	5230×1830	200-800
FY H0912T	12	9	680×400	6030×1830	200-800
FY H0918T	18	9	680×275/550	6220×1830	200-750

备注（Remark）：

所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。

All products accept orders of specified X&Y axis working area.



圆筒型植绒机
Cylinder Type Tuft Machine

机型 Model	头数 Heads	针数 Needles	行程 Stitch Area	台板尺寸(长×宽) Table Size（L×W）	转数 Speed
FY C0901T	1	9	400×400	1070×1160	200-1000
FY C0902T	2	9	400×400	1510×1160	200-1000
FY C0904T	4	9	400×400	2310×1160	200-800
FY C0906T	6	9	400×400	3110×1160	200-800

备注（Remark）：
所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。
All products accept orders of specified X&Y axis working area.

圆筒型混合植绒机
Cylinder Type Tuft Mix Machine

机型 Model	头数 Heads	针数 Needles	行程 Stitch Area	台板尺寸(长×宽) Table Size（L×W）	转数 Speed
FY CH0901T	1	9	400×400	1070×1160	200-1000
FY CH0902T	2	9	400×400	1510×1160	200-1000
FY CH0904T	4	9	400×400	2310×1160	200-800
FY CH0906T	6	9	400×400	3110×1160	200-800

备注（Remark）：
所有机器均可根据用户的不同需求，接受用户指定的纵、横向刺绣范围的订货。
All products accept orders of specified X&Y axis working area.

经销商/Agent

ONE FAMILY WORLDWIDE
四海一家 中國飛躍

中国飞跃集团
CHINA FEIYUE GROUP

地址：中国浙江省台州市椒江机场中路109号
Add: NO.109 Middle Airport Rd. taizhou City. Zhejiang Province. P.R.China
电话 Tel: 0576-88155811/88176395
传真 Fax: 0576-88155800/88155809 电子邮箱 Email:sales@feiyue.cn
网址 http://www.feiyuegroup.com 邮政编码 Post Code: 318010